Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	"20060136632".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 09:18
S3	2	"20050091419".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/07/07 14:11
S4	4518	710/36-38.ccls. 714/1-4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 12:55
S5	261189	(request demand command instruction) near5 (switch\$3 chang\$3 transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:54
S6	165810	(request demand command instruction) with ((enable disable) (id identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 12:14
S7	18309	S5 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:17
S8	27817	(request demand command instruction) with ((enable disable) (id identification)) same access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:34
S9	253	S4 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:34

S10	15939	(request demand command instruction) with ((enable disable) (id identification)) with access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:34
S11	2272	(request demand command instruction) with access same ((enable disable) and (id identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/07/07 15:34
S12	32	S11 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:35
S13	3	"5,870,467".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 09:18
S14	15770	(storage drive disk disc) with (enabl\$3 disabl\$3 execute (carry adj out)) near3 (request demand command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:15
. S15	1219	S14 same (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:14
S16	124680	(access permission permit right authoriz\$5) near3 (request demand command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:04
S17	525	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 12:20

S18	92	S15 same S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/12 12:20
S19	4825	710/36-38.ccls. 714/1-4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 12:55
S20	1	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/12 14:58
S21	92	S18 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 14:58
S22	21	S19 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 15:08
S24	18939	S16 same (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:18
S25	92	S24 same ((storage drive disk disc) with (enabl\$3 disabl\$3 execute (carry adj out)) near3 (request demand command instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 17:47
S26	941	710/36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:00

S27	23695	(enabl\$3 allow\$3 permit\$4 authoriz%5) near4 (request demand command instruction) same (disk disc storage drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:03
S28	5041	((access permission permit right authoriz\$5) near3 (request demand command instruction)) near5 (chang\$3 modif\$7 alter\$5 edit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:05
S29	14756	((access permission permit right authoriz\$5) near3 (request demand command instruction)) near5 (chang\$3 modif\$7 alter\$5 edit\$3 set setting configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:07
S30	1611	S27 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:06
S31	1623	((access permission permit right authoriz\$5) near3 (request demand command instruction)) near5 (chang\$3 modif\$7 alter\$5 edit\$3 set setting configur\$5) with (disc disk drive storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:08
S32	484	S27 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:08
S33	153	S27 same S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:08
S34	308	S32 and execut\$3 near3 (request demand command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:09

LAST Scarcif History							
S35	77	S33 and execut\$3 near3 (request demand command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:09	
S36	57	S35 and (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:19	
S37	32	S35 and (request demand command instruction) near4 (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2007/01/16 10:19	
S38	10	S35 and (access permission permit right authoriz\$5) near3 (request demand command instruction) near4 (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2007/01/16 10:20	
S39	44	S34 and (access permission permit right authoriz\$5) near3 (request demand command instruction) near4 (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 10:20	
S40	2	"6820168".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 11:50	
S41	2	"6823168".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:33	
S42	2	"6820168".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:33	

10/30/07 6:30:35 PM

S43	5109	710/36-38.ccls. 714/1-4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/02 12:11
S44	25775	(enabl\$3 allow\$3 permit\$4 authoriz%5) near4 (request demand command instruction) same (disk disc storage drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:29
S45	1796	((access permission permit right authoriz\$5) near3 (request demand command instruction)) near5 (chang\$3 modif\$7 alter\$5 edit\$3 set setting configur\$5) with (disc disk drive storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 12:29
S46	165	S44 same S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:05
S47	84	S46 and execut\$3 near3 (request demand command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 13:06
S48	63	S47 and (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 13:06
S49	11	S47 and (access permission permit right authoriz\$5) near3 (request demand command instruction) near4 (table list log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 13:24
S50	31	ohashi-yusuke\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 13:24

S51	74	horie-toru\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/03 13:24
S52	46	tatsumi-akio\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 13:25
S53	2	S50 and S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 13:25
S54	5109	710/36-38.ccls. 714/1-4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:06
S55	25775	(enabl\$3 allow\$3 permit\$4 authoriz%5) near4 (request demand command instruction) same (disk disc storage drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:06
S56	1796	((access permission permit right authoriz\$5) near3 (request demand command instruction)) near5 (chang\$3 modif\$7 alter\$5 edit\$3 set setting configur\$5) with (disc disk drive storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:06
S57	165	S55 same S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:06
S58	2	S54 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/08/03 14:06

S59	84	S57 and execut\$3 near3 (request demand command instruction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:06
S60	2	S54 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:08
S61	5554	(logical virtual) near4 (path channel link route) near3 (id identification number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:09
S62	1	S59 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:09
S63	6525	(logical virtual) near4 (path channel line link route) near3 (id identification number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:09
S64	1	S59 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:10
S65	1	S57 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:09
S66	35	S56 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 14:10

S67	1	S65 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		ON	2007/08/03 14:10
-----	---	-------------	---	----	--	----	------------------

10/30/07 6:30:35 PM Page C:\Documents and Settings\DMartinez\My Documents\EAST\Workspaces\10-806338 Node Switching to service requests.wsp